




Linsn Technology



# RV926

## Receiver

# Specifications

V3.0

## Revision History

Document Version	Hardware Version	Revision Date	Note
V3.0	V8	2020/1	New edition



## Overview

RV926 is a standardize product for LED screen manufacturer, which is integrated with 16 standard hub75-type connectors and does not require an extra hub card. One card supports up to 512\*512pixels and up to 32 sets of RCG data.

## Functions and features

1. Single card can support 32 group of RGB data output mode
2. Maximum supports 512X512(Please note that there are recommended values depending on the design of LED screen pixels)
3. Supports brightness calibration pixel by pixel and single-card color space conversion
4. Supports network cable BER test
5. Supports configuration file read back
6. Supports 138 decode, 595 serial decode and so on
7. Realizes high refresh and high gray level effect

## Appearance




Official website: [www.linsn.com](http://www.linsn.com)

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,  
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968

No.	1	2	3	4/9
Description	Gigabit port	Power connector	Power port	Hub75 Connector
No.	5	6	7	8
Description	Red power indicator	Green indicator	Self-test extension port	Self-test button

## Pinouts




/	R1	1	2	G1	/
/	B1	3	4	GND	GND
/	R2	5	6	G2	/
/	B2	7	8	E	Row selection signal
Row selection signal	A	9	10	B	Row selection signal
Row selection signal	C	11	12	D	Row selection signal
Scan clock	CLK	13	14	LAT	Latch
Display enable	OE	15	16	GND	GND

Official website: [www.linsn.com](http://www.linsn.com)

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,  
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968

## Dimension



## Specifications

Capacity	512X512 Pixels	
Power	Input Voltage	DC4.5V ~ 5.5V
	Rated power consumption	3.5W
Working	Temperature	-20°C ~ 70°C

Official website: [www.linsn.com](http://www.linsn.com)

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,  
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968



Environment	Humidity	0% ~ 95%
Physical Dimensions	Dimensions	144.0 X 91.2mm
	Weight	110g
Packing Info	Packing	Each card packed with small red foam bag, and 100pcs per carton
	Carton Dimension	622.0mm×465.0mm×176.0mm
	Carton Weight	13.8 kg

**END**

Official website: [www.linsn.com](http://www.linsn.com)

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,  
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968